

Patent

Attorney Docket No.: 12553/108

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANTS : Ming Gao YAO
SERIAL NO. : 10/817,568
FILED : April 1, 2004
PATENT NO. : 7,156,139 B2
ISSUED : Jan. 2, 2007
FOR : TREATMENT SYSTEM AND METHOD FOR A HEAD
GIMBAL ASSEMBLY STATIC ALTITUDE CONTROL
GROUP ART UNIT : 1734
EXAMINER : George R. KOCH

ATTN: CERTIFICATE OF CORRECTION BRANCH
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION

Dear Sir:

We have compared the above patent with the application as filed and have found errors in the printing of the patent. We respectfully request that the enclosed Certificate of Correction on Form PTO-1050 be issued correcting the mistakes set forth therein under authority of 35 U.S.C. §254. The exact column and line number where the errors occurred in the patent are listed on the enclosed certificate.

The errors that appear in the patent are various typographical errors made by the Patent Office and no fee is believed to be required.

The Office is hereby authorized to charge any additional fees, or credit any overpayments, to Kenyon & Kenyon LLP, Deposit Account No. **11-0600**.

Respectfully submitted,

KENYON & KENYON LLP

Dated: March 4, 2009

By: /Sumit Bhattacharya/
Sumit Bhattacharya
(Reg. No. 51,469)

KENYON & KENYON LLP
333 West San Carlos St., Suite 600
San Jose, CA 95110

Telephone: (408) 975-7500
Facsimile: (408) 975-7501